

श्री चित्रा तिरुवाल आयुर्विज्ञान और प्रौद्योगिकीसंस्थान, तिरुवनंतपुरम्-11 SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY THIRUVANANTHAPURAM—695 011

ENTRANCE EXAMINATION - ACADEMIC SESSION JANUARY 2018

PROGRAMME: DIPLOMA-OPERATION THEATER TECHNOLOGY

Time:90 Minutes			Max.Marks: 100
Time. 90 Williams	(Select the mos	t appropriate answer)	
(There are no negativ	emarks for wrong answer	s)
1. The maximum efficiency	of a half-wave rectifie	r is	•
a) 40.6 %	b) 81.2 %	c) 50 %	d) 25 %
a) 4010 70	~)	,	
2. The resistance of a condu	ctor is inversely prop	ortional to	
a) The length	•	b) The resistivity	
c) The cross-section	al area	d) The pressure	
3. A zener diode is destroye	A ifit		•
a) is forward biased	u II itaaaaaaaaa	b) is reverse biased	
c) carrier more than	roted current	d) none of the above	
c) carrier more than	I Paten current	a) 	
4. The mathematical statem	ent of the first law of	thermodynamics is	
a) $\Delta \mathbf{E} = \mathbf{Q} - \mathbf{W}$		$\mathbf{b)} \mathbf{\Delta} \mathbf{E} = \mathbf{Q} + \mathbf{W}$	
c) $\Delta E = W - Q$		$\mathbf{d}) \Delta \mathbf{E} = -\mathbf{Q} - \mathbf{W}$	
,	•		·
5. A series resistance is con	nected in the zener cir	cuit to	
a) properly reverse	bias the zener	b) protect the zener	
c) properly forward	bias the zener	d) none of the above	
	Al	ath? (A) chlorogeetic seid	(B) acetic acid
6. Which of the following is	the correct acid stren	gin: (A) emoroacene acra	(
(C) benzoic acid	b) $A > C > B$	c) $B > C > A$	$\mathbf{d)}\;\mathbf{B}>\mathbf{A}>\mathbf{C}$
a) A > B > C	b) A > C > B	CJBFCFA	
7. Which instrument is used	d to measure sound u	nder water ?	
a) Hygrometer	b) Hygroscope	c) Hypsometer	d) Hydrophone
, , ,			
8. Carbon dating is used to	determine the age of	N 4	d) all these
a) fossils	b) minerals	c) trees	u) an these
	d to modeure pressure	of gases ?	
9. Which instrument is used to measure pressure a) Manometer b) Machmeter		c) Magnetometer	d) Micrometer
a) Manometer	D) WIACHHICLE	•) *··B•	,
10. The fuel used in nuclea	r reactor is		•
a) heavy water b) graphite		c) cadmium	d) uranium
my moonly it will	, 5 .		•
11. What is unit of Electric	al Capacity?		IV . I
a) Henry	b) farad	c) volt	d) ohm

12. What does LED stand for?				
a) Light Emitting Display		b) Low Energy Display		
c) Light Emitting Diode		d) Light Emitting Detector		
13. In an ECGmachine Lead I, II, III	are called		•	
a) Augmental limb leads		b) Unipolar limb le		
c) Bipolar limb leads		d) unipolar augme	nted limb leads	
14. What is the range of mercury the	rmometer ?			
a) 0 degree Celsius to 350 de		b) -10 degree Celsi	us to 350 degree Celsius	
c) -20 degree Celsius to 350 de	~	d) -30 degree Celsi	us to 350 degree Celsius	
15. A sum of money amounts to Rs.66				
interest. Find the sum.	•			
a) 4460 b) 4636	0	c) 2640	d) 5000	
		•		
16. Name the three leads of a commo	n transistor	2) D C-U4- (7	
a) Collector Bias Omitter		b) Base Collector C		
c) Emitter Collector Bias		d) Collector Base E	mitter	
17. If $(1 + ax)^n = 1 + 8x + 24x^2 + \dots$, the second of t	hen a is equal to) }		
a) 1 b) 2		c) 0	d) 8	
,		•	•	
18. The schmitt trigger may be used t				
 a) change voltage to correspond 	nding frequency	y		
b) Change frequency to voltag	ge			
c) Square slowly varying inpu	it			
d) None of above			•	
10 Which are the primary Colours 9				
19. Which are the primary Colours?		b) Red, Magenta, I	Blue	
a) Yellow, Green, Blue		d) Red, Green, Blu		
b) Red, Green, White		u) Keu, Green, Diu		
20. SR Flip flop can be converted to	T-type flip-flop	if ?		
a) S is connected to Q				
b) R is connected to Q				
c) Both S and R are shortend				
d) S and R are connected to Q	and Q' respect	ively		
			•	
21. Electromagnets are made of soft i	ron because son	t tron bas		
a) high susceptibility and low				
b) low susceptibility and high				
c) low susceptibility and low r	etentivity			
d) high susceptibility and high	n retentivity			
22. The maximum value of $\cos 2\theta + \sin \theta$			1/ 8/0	
a) 9/8	b) 3/4	c) 5/4	d) 7/8	
22 The De (Bersel) is the unit for				
23. The Pa (Pascal) is the unit for	b) conductivity	c) force	d) time	
a) Pressure	n) conductivity	, , , , , , , , , , , , , , , , , , , ,		
24. If the sides of a triangle are 7, $4\sqrt{3}$	kand √13 then t	the smallest anole of	f the triangle is	
		c) 36°	d) 45°	
a) 15°	b) 30°	c) 30	u) +3	

25. If $r1 = r2 = r3$, then the tri	iangle is		
a) right angled	b) isosceles	c) equilateral	d) obtuse angled
26. Metals are good conducto	ors of electricity beca	use	
a) the atoms are light	ly packed	b) they have	high melting point
c) they contain free electrons		d) none of the	e above
27. Which terminal of a PNP	transistor is connect	ed to positive supply?	
a) collector	b) emitter	c) base d)col	lector & emitter
•	•		
28. A stick partially immerse	d in water looks ben	d, it is a phenomenon of	1) Defunction
a) Reflection b) Pa	rallax view	c) Radiation	d) Refraction
29. If two resistors are place	d in series, is the fina	al resistance:	
a) Higher	b) Lower	c) The same	d) Cannot predict
30. A car travels 50 miles an	hour, and a plane tr	avels 10 miles a minute. I	low far will the car
travel when the plane tra	veis 500 mmes:	c) 41 .6 miles	d) 39.7 miles
a) 50.4 miles	b) 37.5 miles	c) 41 .0 mnes	uy by minos
31. If a circle of constant rad	lius 3 k passes throug	the origin and meets th	e axes at A and B,
the locus of the centroid	of triangle OAB is th	ie circle	d) $x^2 + y^2 = 3k^2$
a) $x^2 + y^2 = 4k^2$	$b) x^2 + y^2 = 9k^2$	$\mathbf{c}) \mathbf{x}^2 + \mathbf{y}^2 = \mathbf{k}^2$	$\mathbf{d}) \mathbf{x} + \mathbf{y} = 3\mathbf{K}$
32. The equation $x^2 + 4xy + 4$	$4y^2 + 5x + 6y + 1 = 0$	represents	
a) a pair of straight i	ines b) a circle	c) a parabola	d) an ellipse
33. The sum of the three ang	les in an equilateral i	triangle is	
a) 180°	b) 60°	c) 360°	d) 30°
а) 100	3, 3-1	·	
34. Optical fiber works on the	ne	b) Total internal ref	lection ·
a) Refraction		d) Pelarization	
c) Interference	•	a) relatization	•
35 Device used to measure p	otential difference b	etween two points in volts	s is known as
			d) voltmeter
a) ohmmeter	b) odometer	c) ammeter	w) / 0.022
36. If A is of order m × n an	d R is of order n × p.	then AB is of order	
	b) p × m	c) n × p	d) n × n
a) m × p		, "	
37. If A is a square matrix,	then $A + A^{T}$ is		d) skew symmetric matri
a) unit matrix	b) null matrix	c) symmetric matrix	a) skew symmetric matri
38. If the product AB ≠ 0, t	hen		
a) $A=0$, $B\neq 0$		b) A=0 and B=0	
c) either A=0 or B=0) .	d) neither A nor B	need to be equal to zero
39. An open pipe has funda	mental frequency f. I	f one of its ends is closed.	the fundamental
	montai iroqueney	- ·	
frequency is	b) f/2	c) f	d) 4f
a) 2f	W) # #	,	

a) Electro cardiograph c) Phonocardiography		b) Endoscope d) Angiocardiogra	b) Endoscope d) Angiocardiography.			
41.	The number of chambe		o) 2	d) 4		
	a) 1	b) 2	e) 3	u) 4		
42.	The phase to phase volt a) 200V DC	tage in a normal three b) 200V AC	e phase line is c) 440V AC	d) 440V DC		
42 '	The phase difference be	etween velocity and di	solacement of a particl	e executing SHM is		
43.	a) 0	b) π/2	c) π/4	d) π/6		
44.	One watt-hour is equiv	alent to		22 A C 40 ⁷ T		
	a) $3.6 \times 10^3 \text{ J}$	b) 6.3 x 10 ³ J	$e)6.3 \times 10^7 J$	d) $3.6 \times 10^7 \text{ J}$		
45.	If an elevator is moving passenger of mass M is	g vertically up with ac	celeration a, the force e	exerted on the floor by a		
	a) Ma	b) Mg	c) M (g+a)	d) M(g-a)		
46.	Melting point of ice	0	, all er			
	a) 100°C	b)100°F	e) 0°C	d) 0°F		
47.	P wave of an ecg signal a) Atrial depolaris:	is related to	b) ventricular de	polarization		
	c) ventricular repo		d) Atrial repolari	d) Atrial repolarization		
	,			f recistance 20W is		
48.		e required to pass a co b) 4V	c) 0.01V	of resistance 20W is d) 40V		
	a) 100 V	,	-	ŕ		
49.	When a charged parti	cle moves at right ang b) speed	le to a magnetic field q c) energy	uantity that changes is d) moment of inertia		
50.	A reduction of 20% in	the price of rice enabl	les a purchaser to obtai	n 2.5 kg more for Rs. 160/		
	Find the original price	e per Kg of Rīcė.		d) Rs. 18		
	a) Rs. 12	b) Rs. 15	c) Rs. 16	u) RS. 10		
51.	b) potential differential differenti	statements does not r ial difference = consta ence / current = consta ence = current x resista ance x potential differ	int int ance			
52.	The Blood is carried a	way from the heart th	rough			
0_0	a) Cells	b) Veins	c) Arteries	d) Nerves		
53.	The Bio-electric general Aortic valve	ator of heart is situate b) SA node	d at c) AV node	d) the brain		
54.	b) resistance there	ne gas thermometer	e as well as simple to us	se?		
	c) Thermocouple	as thormomotor				
	d) Mercury-in-gla	88 Methometer		4 Pacco		

55	. The resistance across AB		1 :		
	a) 4 ^Ω	b) 1 ^Ω		c) 2 ^Ω	d) 0.5^{Ω}
56	a) depends only on the b) depends only on the c) depends on both red d) does not depend on	e potential d ne resistance esistance and	lifference ap _l of the wire I potential di	fference	
57	. A crystal diode has forwa a) kΩ	ard resistance b) Ω	e of the order c) MΩ	r of	d) none of the above
58	B. What is the respiratory s a) The body's breath b) The body's system c) The body's food-p d) The body's blood-	ing system of nerves rocessing sys	stem 5 system	. • •	
59	O. A man goes 10 meters du Find the distance from to a) 26 meters	he starting p	oint.		d) 21 meters
60	O. Ophthalmoscope is an in a) inspect the eye c) inspect the thorax		nich is used to	b) inspect the	stomach abdominal cavity
61	1. Electric shock occurs wh a) a person becomes b) a fatal shock occu c) there is no earth lo d) a person is not we	part of an el rs eakage	lectric circuit	;	ody because:
6	2. Sensitivity of a thermom a) how quickly therr b) amount of change c) min and max tem d) None of above	nometer can e in thermon	register cha letric proper	ty for a unit co	lange in temperature
6	3. The average value of sys a) 80 to 120 mm Hg c) 70 to 140 mm Hg		astolic pressu	re of normal a b) 120 to 80 n d) 140 to 60 n	mm 118

c) safety responsibi	" refers to the: rs must undertake of employers to workers dities of health and safe dilities of employers and	ty representatives	
65. In physics, a common	instrument to measu	re diameter of a circle	is known as
a) Rule	·	b) Measuring tape	
c) Calipers		d) Inch tape	
66. The unit of electric Cur	rent is	•	
a) Coulomb	b) Volt	c) Ampere	d) Farad
b) gloves must be w	n of disease: /ashed before contact w /orn and rinsed between ctive eyewear should al	n handling clients	
68. A conductor has Zero r			
a) Zero degree Cen		b) - 273 degree Cent	
c) Zero degree Fah	renheit	d) - 273 degree Fah	renheit
69. SI unit for length is			1) monda
a) centimeter	b) inches	c) meter	d) yards
70. Calculate the universal a) 7.31 J/mol/K	gas constant R, if one r b) 8.31 J/mol/K	nol of gas at S.T.P occup c) 10 J/mol/K	ies 22.4 liters. d) 15 J/mol/K
71. Calculate the r.m.s velo	ocity of a gas at 300K gi	ven its molecular mass= :	32 and R= 8.3 J/mol/K.
a) 834 m/s	b) 348m/s	e) 448 m/s	d) 483m/s
72. Temperature of the hu	man body is 98.4°F. Fin	d the corresponding tem	peratures
a) 309.9°C	b) 39.9°C	c) 36.9°C	d) 40°C
73. Which of the following	is dimensionally correc	et?	
a) Pressure = Ener	gy/ unit area	b) Pressure = Energy	
c) Pressure = Force	e/unit volume	d) Pressure = momen	ntum/unit volume/unit tim
b) removing clothi	burns include: nt area under cool runn ng from the burn area othing cream or ointme		
75. An instrument used to	measure lung volume q	uantitatively	
a) impedancepneu		b) Spirometer	
c) ventilator		d) nebulizer	
76. To operate properly, a	transistor's base-emitte	er junction must be forw	ard biased with
reverse bias applied to	which junction?	c) collector-emitter	d) collector-base
a) base-emitter	b) emitter-base	c) conector-entitler	a) concetor-base

77. A	material that contains	an abundance of free o	carrier is called	
	a) Insulator	b) Semi-insulator	e) Conductor	d) Semiconductor
78. A	n electron in the condi	ection hand		
,0.11	a) is bound to its p			
	b) is located near the			
	c) has no charge	are top or one or your		
		rgy than an electron in	the valence band	
79. Sc	ound is produced due t	0		
	a) friction	b) circulation	c) vibration	d) refraction
80. W	hich instrument is use	d to determine the inte		
	a) Cathetometer	b) Chronometer	c) Colorimeter	d) Commutator
81. V	Vhat is displacement?			
		covered by a body in a		
		covered by a body in a		
		covered by a body in a		
	d) Longest distance	covered by a body in a	definite direction.	
82. C	ardiac output is define			4 1l
	a) Heart rate x stroi		b) Respiration rate	
	c) Blood flow rate x	stroke volume	d) Heat rate x bloo	a now rate
83. W	hat is clinical governa	nce?		
		ng to the Code of Condi	uct	
	b) Ensuring that you	ı keep your CPD hours	up to date	
	c) Working using th	e latest textbook and or	oline information	
	d) A process of refle	ction, analysis and imp	rovement of practice	
84. W	hen transistors are us	ed in digital circuits the	ey usually operate in th	he:
	a) linear region		b) breakdown region	on
	c) saturation and cu	toff regions	d) active region	
85. T	he EEG signal is origin	nated from the	~	1 A contribution
	a) Brain Cells	b) Motor units	c) Sino arterial noc	d) Acetylcholine
86. C	athode ray consists of			
	a) high energy elect		b) low energy electrons	
	c) high energy proto	ons	d) low energy prote	OBS
87. T	he range of frequency	and voltage related to	EEG are	OLTT J 10 V 40 1000 V
a) 0 to 1000kHz and 0.1mV to few mV		b) DC to 10kHz and 10μV to 1000μV d) 20 Hz to 100 Hz and 0 to few mV		
	c) 0.5 Hz to 100 Hz	and 10μV to 100μV	d) 20 Hz to	9 TOO HZ and a to lew mr
88. W		has the highest wavelen	gth?	d) ID pare
	a) γ- rays	b) x- rays	c) UV rays	d) IR rays
89. A	n electron has the low	est energy when it is	45.00	d stata
 a) at infinite distance from the nucleus 		b) in the ground stated) remaining stationary		
	c) in the excited stat	te	d) remaini	ng stationary

90. EMG deals with the stu	udy of	15 1			
a) Brain activityc) muscular activity		b) myocardial activity			
		d) central nervous	system		
01 Among the following is	maging systems, whi	ich has more noninvasive cl	haracter?		
a) Ultrasonic imag	ing system	D) C1 maging syst	b) CT imaging system		
c) Nuclear imaging	g system	d) PET system			
02 In an-amp signal anni	ied at inverting tern	ninal appears at output teri	minal with a phase		
a) 0	b) 90	c) 180	d) 5		
ŕ	ŕ	•			
93. Which law states, "The temperature between the	e rate of loss of heat	by a body is directly propoundings."	ortional to the difference in		
a) Doppler's Effec	t	b) Newton's law of	cooling		
c) Kirchhoff's Lav	v	d) Stefan's Law			
94. When a negative ion is	formed, the effective	ve nuclear charge	The amediated		
a) increases	b) decreases	c) remains same	d) cannot be predicted		
95. The most electronegat	ive element is		•·		
a) chlorine	b) oxygen	c) fluorine	d) nitrogen		
96 The knee voltage of a	crystal diode is appi	roximately equal to	••••		
a) applied voltage	- -	D) DLGSWOOMH AOIT	age		
c) forward voltage	e	d) barrier potentia	i		
97. What is refractive ind	ex?		. J . flight in vocuum		
	ı	light in the medium to the s	peed of fight in vacuum.		
Little defined on t	the ratio of speed of	light in vacuum to me spee	of the purity and property.		
c) it is defined as t	the product of speed	of light in medium and in	vacuum.		
d) None of the abo	ove				
98. An ionic bond is form	ed by				
a) mutual sharing	of electrons	b) transfer of elect	trons		
c) donation and s	haring of electrons	d) none of these			
00 A resistor has a colou	r band sequence: bi	rown, black, green and gold	l. Its value is		
a) 1 k Ω + 10%	_	D) 1000 KZ51 2 10			
c)10 k Ω + 5%	70 	d) $1M\Omega \pm 10\%$			
100. Input resistance of	op-amp is		d) one		
a) very high	b) very low	c) zero	d) one		