

श्री चित्रा तिरुनाल आयुर्विज्ञान और प्रौद्योगिकीसंस्थान, तिरुवनंतपुरम्-11 SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY THIRUVANANTHAPURAM—695 011

ENTRANCE EXAMINATION - ACADEMIC SESSION JANUARY 2022

Program: PhD Chemical Sciences

Ti	me:90 Mi		elect th	e most ar	Max. Marks: 100 propriate answer)
		`		·	narks for wrong answers)
1	The mo	olar conductivity of CH ₃ tively at 25°C. The mola	COONa, ar condu	, HCl and ictivity at	NaCl at infinite dilution are A, B and C Sm²mol¹ infinite dilution for CH₃COOH is represented as
	a.	[A+B+C] Sm²mol-1	c.	[A+B-C]	Sm²mol ⁻¹
		[A-B-C] Sm ² mol ⁻¹			Sm²mol ⁻¹
2	Microv	vave spectra of a mole	ule has	three rot	ational constants. The molecule is
_					
	a.	Prolate	c.	Oblate	
	b.	Asymmetric	d.	Spherica	al top
3	The ior	nic strength of 0.1M Ma	gCl2 is		
	a.	0.3 M	c.	0.6 M	•
		0.1M		0.2 M	
4	Choose	e the pair of monomers	which o	does not f	favour condensation polymerization
	a.	propanoicacid and etl	hanol	c.	diamines and dicarboxylic acids
	b.	butane-dioic acid and	glycoi	d.	hydroxy acids
5		the following pick the gradation?	name o	f the stab	ilizer that is capable of preventing the polymer from
	a.	phenyl napthylamine:	5		styrenated phenols
		dilaurylthiopropionat		d.	phenyl salicylates
6	Name 1	the polymer that is use	d in the	manufac	ture of paints and lacquers.
	a.	Bakelite		C.	Polypropene
	•	Glyptal		d.	Polyvinyl chloride

8				Remains constant None of the mentioned dified K2Cr2O7. The product obtained reacts with
	phenyl X?	mirror test. What could be the possible structure of		
	a. b.	CH3CHO CH3CH2OH	c. d.	(CH3)2CHOH CH3COCH3
9	The co	rrect geometry around oxygen in CH	1300	CH3 is
	a.	linear		tetrahedral
10	b. A stron	bent ng signal at 1700 cm–1 in an IR spect		trigonal planar indicates the presence of a(n)
10	7,300	8 3/8/14/1 We 27 00 cm 2 m am m op 000		
		alcohol ether	c. d.	carbonyl amine
11		s the wavelength associated with an		
	a.	7.28 nm	c.	72.8 nm
	b.	728 nm	d.	0.728 nm
12	Which	diatonic molecule is the strongest		
		H ₂		N ₂
13	One mo	at 25 °C. The heat evolved was found	d. gen d to l	O ₂ gas at constant volume to give CO ₂ gas and liquid be 5138.8 KJ. The heat of reaction at constant
		re is [Note: R=8.314 J/K/mol] (+)6138.8 KJ	c.	(-)6138.8 KJ
		(-)5143.8 KJ		(+)5143.8 KJ
14	Which	diene and dienophile one would em	ıploy	to synthesize the compound norbornadiene;
	a. b.	Acetylene and cyclohexadiene Acetylene and cyclopentadiene		c. Acetylene and cyclopropadiene d. Acetylene and Heptafulvene
15	Wilkins	son's catalyst ((Ph ₃ P) ₃ RhCl) is used fo	or	
	a. b.	halogenation of alkenes Oxidation of alkenes		c. Phosphonation of alkenesd. None of the above
16	Stereo	regular polymers can be synthesized	l usir	ng
	а.	Living Polymerisation		c. Step growth Polymerisation d. Alfin Polymerisation
	b.	Ziegler-Natta Polymerisation		d. Alfin Polymerisation
				Page 2 of 12

At the onset of gelation of a reaction mixture the viscosity

- 17 Which of the statement is correct?
 - a. cyclopentadienone is a stable compound while Cyclopropenone is unstable and not been prepared
 - b. Cyclopropenone is a stable compound while cyclopentadienone is unstable and not been prepared
- c. Both cyclopentadienone and cyclopropenone is stable
- d. Both cyclopentadienone and cyclopropenone is unstable
- On hydrogenation anthracene liberates 116.2 kcal/mol. What is the resonance energy of anthracene? [Note: During hydrogenation cyclohexene liberates 28.6 Kcal/mol]
 - a. 84 Kcal/mol

c. 63 Kcal/mol

b. 80 Kcal/mol

d. 48 Kcal/mol

19 Nucleophilic reactivities of halides follow the order

a. F>Cl'>Br'>1'

c. Cl'> F' > Br'> 1'

b. | '> Br > Cl'> F'

d. 1> Br > F > Ch

- 20 Which one is a stronger base; amidines or amines?
 - a. amidines

c. both are weaker base


b. amines

- d. both amidines and amines have same basicity
- 21 The reaction is an example of



- a. Baeyer-Villiger reaction
- b. Birch Reduction

- c. Knoevenagel reaction
- d. Prins reaction
- 22 The reaction leads to which product



Cyclopentanone

a.



C




b.



d.




23 The reaction is an example of




a. Kolbe reaction


- c. Friedel-Crafts Acylation reaction
- b. RiemerTiemann reaction
- d. Cope reaction
- 24 The order of reactivity for an electrophilic aromatic substitution reaction is
 - a.



c.




b.



d.

25 P in the reaction is



a.



c.



b.



d.



- What is the empirical formula of an organic compound whose percentage composition is 48.7 % C, 13.6 % H, 37.8 % N [consider oxygen is not determined directly]
 - a. C₄H₁₄N₄

c. C₂H₁₀N₃

b. C₃H₈N

- d. $C_3H_{10}N_2$
- 27 Acidity increases in the order
 - a. H-CH₃> H-NH₂> H-OH > H-F> H-SH > H-Cl
- c. H-CH₃ < H-NH₂ < H-OH < H-Cl < H-SH < H-F
- b. $H-CH_3 < H-NH_2 < H-OH < H-F < H-SH < H-CI$
- d. $H-CH_3 > H-NH_2 > H-OH > H-CI > H-SH > H-F$
- 28 Which of the following compounds has the MOST deshielded protons?
 - a. CH3Cl

c. CH3Br

b. CH31

d. CH4

	a. II	c. sc
	b. Fe	d. Hg
30	Which among the follo	owing is a photosensitive substance?
	a. Nickel chloride	c. Copper chloride
	b. Silver chloride	d. Manganous chloride
31	The process of reduction	on of ores with carbon is known an
	a. Thermite proc	ess c. Zone refining
	b. Roasting	d. Smelting
32	An element X forms an	oxide XO3 What is the valency of X?
	a. 1	c. 5
	b. 6	d. 6
33	During tensile testing of from which part of the	of a polymer sample in UTM, the toughness of the polymer can be estimated Stress-strain curve.
	a. Slope	c. Stress at break
	b. Maximum Load	d d. Area under the stress-strain curve
34		Weissenberg effect is observed as the climbing of polymer solution up the ring. This behaviour is due to:
	behaviour incr b. The elastic por	tion of the viscoelastic c. The viscous portion of the viscoelastic behaviour increase at low speed. tion of the viscoelastic d. The viscous portion of the viscoelastic behaviour increase at high speed.
35		alue of water at ambient temperature?
33	Wilders the Viscosity	
	a. 1 mPas	c. 10 mPas
	b. 0.1 mPas	d. 100 mPas
36	For pactical application	ns, a liquid is called ideally Viscous liquids when, $\tan \delta =$
	a. 1	c. >100
	b. 0	d. <1
37	Which among the follo	owing is a conducting polymer?
	a. Isotactic polypb. Polyacrylonitri	ropylene c. Polyisobutylene le d. Polybutylthiophene
38	In Injection moulding phaving:	process, faster moulding cycle can be achieved by selecting a polymer resin
	b. Low heat disto	ortion temperature c. High glass transition temperature ortion temperature d. High melting point
39	In order to obtain a po	lymer with maximum of 9-mers, what should be the extent of conversion?
	a 70%	c. 90%
	a. 70% b. 80%	c. 90% d. 100%

Which one is of the following is the lightest transition element?

Which among the following polymerization techniques is suitable for producing very h weight products?				es is suitable for producing very high molecular	
	a. b.	Bulk polymerization Solution polymerization	c. d.	-	sion polymerization on polymerization
41	Which	among the polymerization techn	ique	leads to	a maximum value of M ⁻ _w /M ⁻ _n , typically > 20?
	bra	lymerization leading to chain anching lycondensation			cationic/anionic polymerization using homegeneous catalyst Free radical polymerization
42	As pola	•	e rat ectric	e of poly constar	merization also increases. Which among the at?
	a.	Cyclohexane		c.	Nitroethane
	b.	Dichloroethane		d.	Nitrobenzene
43	Which	among the following type of Poly	/mer	ic mater	ials have application temperatures below T_g ?
	a.	Soft and weak		c.	Hard and strong
	b.	Soft and tough		d.	Hard and tough
44	Which	polymer processing technique is	usec	for the	fabrication of hollow Jerry cans/bottles.
	a.	Injection moulding			Compression
	b.	Blow moulding			Extrusion
45	Which deposit	among the polymers can form co tion polymerization process.	onfo	rmal pini	nole free coatings through chemical vapour
	a.	Polyethylene		c.	Polystyrene
	b.	Polypropylene		d.	Parylene
46	Which Polyme		d foi		ining the glass transition temperature of
	a.	Dilatometer			Differential Scanning Calorimeter
	þ.	Dynamic Mechanical Analyser			All of the above
47	Which	among the polymers is synthesiz	ed f	rom a ba	cterium?
	a.	Polylactic acid`		C.	Polymethylmethacrylate
	b.	polyhydroxybutyrate		d.	Low density Polyethylene
48	When machin	an uncross-linked elastomer is el ne. Then the decay of stress unde	onga er co	ated and nstant d	maintained at that length in a tensile-testing eformation is called:
	a.	Strain hardening		c.	Retardation
	b.	Stress relaxation		d.	Burst strength
49	An aro Benzal	matic compound A on treatment dehyde (B). B on treatment with	: witi Zinc	h Chrom amalgar	yl chloride in dichloromethane yielded n in concentrated HCl produced A. What is A?
	a.	Benzene		c.	Naphthaiene
	b.	Anilin		d.	Toluene

- Friedrich Wohler produced an organic compound in lab for the first time by heating.....in 1828.
 - a. Ammonium hydroxide

c. Ammonium cyanate

b. Urea

- d. Ammonium thiocyanate
- 51 A strong acid will have.....
 - a. Smaller Ka value

c. Higher pKa value

b. Smaller pKa value

- d. Ka=0
- The figure shows a multi nitro derivative of a compound reported by the group of Philip Eton in 2000. Highly strained rings enable this compound to be a shock insensitive explosive more powerful than TNT. This category of compounds are called......



- a. Cubanes
- b. Prismanes

- c. Icosanes
- d. Fullerenes
- 53 Which of the following is the most stable intermediate?
 - a. Methyl cation

c. Secondary Carbocation

b. Primary carbocation

- d. Tertiary Carbocation
- 54 What will be the product of the following reaction..?

- a. 1-bromocyclopropane
- b. 1-bromopropane

- c. 1-bromocycloprop-2-ene
- d. cyclopropane
- Methylation of one of the hydroxyl groups of Morphine result in the formation of a less potent analgesic with capability to inhibit cough reflex. It is called.............



- a. Morpholine
- b. Heroin

- c. Codeine
- d. Quinine
- 56 Completely amorphous polymers will show.....
 - a. Tg only

c. Both Tg and Tm

b. Tm only

- d. None of them
- 57 Ebulliometry, Cryoscopy, and Osmometry are the common methods adopted for the determination ofof a polymer.
 - a. Mw

c. Mv

b. Mn

d. Mz

	degrees	•			atm which will exert a temperature of 37 atm. What will be the resulting
		600 K 900 K		-	910 K 930 K
59					VIJ of energy. If he consumes only glucose take to meet his daily requirement?
	a. b.	750 kg 750 g			192 g 192 kg
60	absorba				at 340 nm. A solution of NADH gave an thlength of 1.0 cm. What will be the
		4x10-4 mol L-1 7x10-4 mol L-1			4x10-5 mol L-1 7x10-5 mol L-1
61	Geno	me of COVID-19 causing vir	us genome i	is ma	de of
	b.	ssDNA dsDNA			ssRNA dsRNA
62	PPE n	neans?			
		Public private enterprise Personal protective equipm	ent		Public protection entity Personal protection enterprise
63	In a co		ritten as "D	VIS	OIN", then how is "STATES"
	b.	SATETS SATTES		d.	
64		m has 10 doors. In how many erent door?	ways one o	an e	nter through a door and exit through
	a. b.	9 10		c. d.	
65	In this	s "see and tell" sequence, wha	it is the next	nun	nber?: 1, 11, 21, 1211, 111221,
	a. b.			d.	1112222 112131
66		treme depths in the sea (beyonders, tremors etc because of		pth)	, divers experience hallucinations,
		hyperventilation decompression sickness		_	h-pressure neurological syndrome ing reflex

One mole of gas with ideal behaviour is kept in a constant volume reactor as part of an industrial

07	Which is the primary suces normane	
	a) cortisol b) aldosterone	c) adrenaline d) noradrenaline
68	Name a plastic-degrading systems	
69	a. PETaseb. ACESARS-CoV-2 spike protein is a	c. MHETase d. both 1 &3
70	a. surface glycoproteinb. small envelope proteinCovishield is a type of vaccine	c. nucleocapsid protein d. matrix protein
70	a. whole virion inactivated b. recombinant, replication-deficient adenovector encoding Spike protein	c. mRNA ovirus d. DNA
7 1	Paralympic Games 2020 was conducted at	
72	a. Abu Dhabib. TokyoNobel Prize for Physics in 2020 was awarded for	c. Rio d. Beijing for the discovery of
	a. cosmologyb. optical tweezers	c. theory for Black hole formation d. discovery in alloys
73	The theory of relativity is presented by which so	scientist
	a. Albert Einsteinb. Isaac Newton	c. Stephen Hawkingd. Marie Curie
74	Total number of elements in the Periodic table	
75	a. 112b. 118Which one is the purest form of carbon	c. 115 d. 127
73	a. coal b. diamond	c. graphite d. iron
76	The membrane proteins can span across the lipi	id bilayer strictly due to the presence of
77	a. alpha helicesb. parallel beta sheetTo detect specific macromolecule or structure b	c. antiparallel beta sheet d. zinc finger domain by electron microscopy, the frequently
• •	used procedure is to couple the antibody with	
	a. Osmium tetraoxideb. Alexa 568	c. Gold Particled. Cy5

78	The inner cell mass of mammalian embryo in the blastocyst stage are						
	a. totipotent c. multipotent						
	b. pluripotent d. unipotent						
79	Which of the following number is a prime number						
	a. 121 c. 183						
	b. 163 d. 1020						
80	The enzyme Rennin is secreted in which among the following parts of the Alimentary Canal?						
	a. Mouth c. Pancreas						
	b. Duodenum d. Stomach						
81	Both prokaryotic as well as eukaryotic cells have						
	a. Lysosomes c. Ribosomes						
	b. Mitochondria d. Golgi Bodies						
82	Which one of the following is does not involve in maturation of red blood cells						
	a. pyridoxine c. vitamin B12						
	b. tocopherol d. folic acid						
83	Migration of individual cells from the surface into the embryo's interior is termed as						
	a. ingression c. invagination						
	b. involution d. delamination						
84	Which of the following hormone is detected by pregnancy kits?						
	a. Estrogen c. Human Chorionic Gonadotropin						
	b. Progesterone d. Lutinizing Hormone						
85	Five persons A, B, C, D, and E are sitting in a row. C in the middle of the group and D is at an extreme end. There are at least two persons between B and E. Which of the following statements is incorrect?						
	a. E can be on extreme left c. A cannot be on extreme left						
	b. A is always a neighbour of B or D d. E can be on extreme right						
86	Each pixel in a liquid crystal display (LCD) television is composed of 3 sub-pixels that can transmit red, green and blue colours because						
	a. White light is made of three primary c. The human retina contains only three colours viz red, green, blue types of colour-sensitive cells						
	b. Liquid crystals can only filter these d. These colours are the most pleasing						
	primary colours to the human eye.						
87	The Nobel prize in physiology or medicine 2020 was shared by Harvey J. Alter, Michael Houghton and Charles M. Rice for						
	a. The development of a method for c. The discoveries of how cells sense genome editing and adapt to oxygen availability						
	b. The discovery of Hepatitis C d. The discoveries of molecular						
	virus mechanisms controlling the circadian rhythm						

88	The first WHO recognized outbreak of Nipah virus was reported in					
89	b.	Malaysia Bangladesh among the following is a climate campa		c. d. r?	U 1	
90	b.	Verghese Kurien Malala Yousafzai nly active volcano of India is located at			Greta Thunberg Michelle Obama	
		Gujarat Haryana			Maharashtra Andaman & Nicobar Islands	
91	EJOT,	DHLP, CFIL, ?				
		BHLM BDFH			DGKL DEIJ	
92	Then t	n walks 30 meters towards south. Then to curning left, he walks 20 meters. Again, ar is he from his initial position?				
		110 meters 80 meters			60 meters 50 meters	
93		tio of the ages of a man and his wife is time of marriage, the ratio was 5:3, then				
		15 years 12 years			10 years 8 years	
94	The fir	rst track and field athlete to win a gold r	neda	al f	for India at the Olympics	
		Abhinav Bindra PV Sindhu			leeraj Ch opra Iirav Modi	
95		end of next month my grandmother			in the same house for more	
	a. b.	will have been living will live	d.	W	vill have liv ed vill be living	
96		f a plant appears green in daylight. If th would its leaf appear?				
	b.	green black-brown		b	lue	
97		y one liters of milk in a tank is to be div liters capacity cans. The minimum nun				
		3 4	c. d.			

	a. b.			11 12
99	Which	is not an essential amino acid		
		proline methionine		valine lysine
100	Which	Indian city has the Drink-from-Tap fac	ility	for the first time in India?
		Bangalore Srinagar		Trivandrum Puri
				•

How many times starting at 1:00 pm would the minute and hour hands of a clock make an angle of 40 Degree with each other in the next 360 minutes?

Academic Session – January 2022

PhD Chemical Sciences

1	°/
2	b
3	a
4	a/
5	d /
6	b/
7	b/
8	a
9	b
10	c/
11	b_
12	b _ c _
	cb
12	6
12 13 14	b b a
12 13	b/ b/

18	a /		35	a
19	b_			c
20	a		36	d
21	b_		37	a
22	c ,	٠	38	ь
			39	
23	b /		40	d
24	a /		41	a/
25	b/		42	ď/
26	d/		43	c/
27	b/		44	b/
28	a/		45	d/
29	6/		46	ď
30	b/		47	b/
31	ď		48	b/
32	b /	ĺ	49	d/
33	d /		50	c/
34	a /		51	b/

52	a /	
53	d/	
54	b/	
55	°/	
56	a /	
57	b/	
58	d/	
59	b/	
60	°/	
61	С	
62	b	
63	a	
64	d	
65	a	
66	С	
67	а	
68	d	

69	а	
70	b	
71	b	
72	. C	
. 73	а	
74	b	
75	b	
76	а	
77	С	
78	р	
79	b	
80	d	
81	С	
82	b	
83	С	
84	С	
85	b	

86	С	
87	b	
88	a	
89	С	
90	d	
91	р	
92	d	
93	р	
94	С	
95	а	
96	b	
97	d	
98	С	
99	a	
100	d	