

श्री चित्रा तिरुवाल आयुर्विज्ञान और प्रौद्योगिकी संस्थान, तिरुवनंतपुरम् -11 SREE CHITRA TIRUNAL INSTITUTE FOR MEDICAL SCIENCES & TECHNOLOGY, THIRUVANANTHAPURAM—695 011

ENTRANCE EXAMINATION: ACADEMIC SESSION JANUARY 2020

PROGRAM: PhD (Bioengineering)

Time: 90 minutes

Max. Marks: 100

(Select the most appropriate answer)
(There are no negative marks for wrong answers)

1.	Name of the Launch Vehicle used in Ch A. ROVER vehicle		yaan-2 PSLV
	C. GSLV	D.	ORBITOR
2.	Symbol for S. I. Unit of temperature		
	A. ∘C	В.	K
	C. ∘F	D.	All

3. 10⁻¹² is represented by:

- A. pico
- B. tera

C. femto

D. peta

- 4. ISO stands for
 - A. Indian Standards Organization
 - B. International Organization for Standardization
 - C. International Standard Organization
 - D. Indian Organization for Standardization
- 5. Under the constitutional provisions, which authority has the power regarding the formation of new states or altering the boundaries of existing states?
 - A. Election Commission of India
 - B. Delimitation Commission of India
 - C. President of India
 - D. Parliament
- 6. Which of the following is depicted in a Two thousand rupees Indian currency note?
 - A. Rani ki vav

B. Mars planet

C. Chandrayaan

D. Sanchi Stupa

- 7. Who is the chairman of the Chiefs of Staff Committee?
 - A. General Bikram Singh
 - B. General Bipin Rawat
 - C. Admiral Karambir Singh
 - D. Air Chief Marshal Rakesh Kumar Singh Bhaduria
- 8. International Astronomical Union named a minor planet 2006 VP32 (number -300128), between Mars and Jupiter after the following Indian classical singer:
 - A. Pandit Jasrai
 - B. Pandit Ravi Shankar
 - C. Pandit Tansen
 - D. None of the above

			В.	Black hole	į						
			C.	A rare form of ca	arbon mone	oxide in the	dust and g	gas disc arou	and a young	ı star.	
	•		D.	Interstellar com	et						
		10.	Whi	ch among these a	re brain bo	osting nutrie	ents?				
				Essential fatty a							
				Vitamin C and B	1						
				Amino acid							
				All of the above	i 						
					!						
		11.		ala Yousafzai- an a		education of	women a	nd children	is also the	oungest l	Nobel
			laure	eate. She hails fro	m:						
				Iran			Syria				
			C.	Jordan		Đ.	Pakistan				
		12.	The	following is a pali	ndrome:						•
				DIVIDED		В.	MALAYAL	_AM			
	•			AQUA		D.	DRESSED		-		
	,	13.		is the ace Indian	shuttler w	no is the firs	t Indian to	win Badmii	nton World	Champio	nships gold:
				Saina Nehwal							
				P.V. Sindhu	,						
				Sania Mirza	:						
			D.	Mithali Raj							
		14	The	following was der	noted to th	e status of a	dwarf ola	anet' in 200	16:		
		*4.		Uranus	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Mercury	•			
				Pluto			Neptune		•		
			٠.				•				
		15.		following is the st	ate bird of	Kerala:					
				Great hornbill	,				•		
				Rufous treepie	:						
				Jungle babbler					•		
			D.	Kingfisher							
٠		16.	Wha	it does UNESCO st	and for?						<i>(</i>
	;	-0.	Α.	United Nations		Socio-Cultur	al Organiza	ation			
			В.	United Nations					ion		
			C.	United Nations							
			D.			11, 500,010,0	ос. ро.		,		
•			D.	None of the abo						•	
		17.	Nati	onal Science Day i	is celebrate	d in India o	n 28 Feb ev	very year in	the memor	ry of:	
			Α.								
			В.	Dr. A.P.J. Abdul	Kalam						
			C.		•						
			D.	Dr. Srinivasa Rai	nanujan						
	•			4 1 7 10 7 49	: : DF -	una Duan- fi		2010 bac b	nan muarda	od to:	
		18.		a's highest civilian		irat katna to	i the year	SOTA USP D	edii awai 0t	ju to.	
	÷		_	Bhupen Hazarik							
			В.	•							
			Ç.	Nanaji Deshmuk							
	•		D.	All of the above	!						
										F	Page 2 of 12

9. 2020 Breakthrough prize goes to Scientists who first captured the image of A. Pentacene molecule

19.	iSRO's mission Chandrayaan-2 has a lander named: A. Pragyan		
	B. Vikram		
	C. Dhawan	,	
	D. Sivan	•	
20	Which of the following article of Constitution of India has	been revoked recently?	
20.	A. Article 330		
	B. Article 350	•	
	C. Article 370		
	D. Article 390		
21.	Pulitzer price established in		
	A. 1917		
	B. 1922	•	•
	C. 1928 D. 1918		
		,	
22.	Logo for World Wide Fund for nature		
	A. Deer		4
	B. Panda	,	
	C. Camel D. Lion		
	D. LION		
23.	. The Flying Sikh of India		
	A. Mohinder Singh		
	B. Joginder Singh		
	C. Yuvarag Singh		
	D. Milkha singh		
24.	. ISRO's most powerful rocket to date		
	A. PSLV-XL	•	
	B. GSLV Mk-III		
	C. GSLV-Mach2 D. None of the above		· ·
25.	. Spaceflight that first landed humans on the Moon		
	A. Apollo 11		
	B. Apollo 13	· ·	
	C. Apollo 8 D. Apollo 9		
	• •		
26	6. Manesh, the son of Arun is married to Sibi, whose sister J	lisha is married to Hari, th	e brother of
	Manesh. How is Jisha related to Arun?		
	A. Daughter in law		
	B. Cousin	•	-
	C. Sister D. Sister in law		
27	The year in which the currency symbol of Indian rupee w	as adopted?	
	A. 2000		
	B. 2010		
	C. 2020		
	D. None of the above		

•	28.	First Indian to Preside over the	International Court	of Justice?		
		A. Nagendra Singh		•		
		B. Dr. Hardayal				
		C. Neeru Chadha	•			
		D. None of the Above			•	
;	29	Nehru Cup was associated with				
		A. Snake Boat Race				
		B. Football				·
		C. Hockey				
		D. Swimming				
	30.	Founder of the Red Cross was?				
		A. Henry Durant				
		B. Trigwilly H				
		C. Baden Powell				
		D. Frederick Parasse				
	31.	What is the current population	of India?			
		A. 107 crores		_	6	
		B. 10.7 crores				
•		C. 15.7 crores				
		D. 137 crores				
1		b. 137 clores				
	32.	Frances H. Arnold won the Nobe	el Prize in 2018 for:		•	
		A. Chemistry				
		B. Physics	•			
		C. Economic Science	1			
•		D. Medicine		•		
	22	The present Governor of Kerala				
	J J.	A. P Sathasiyam	•			
		B. R. L. Bhatia			•	
		C. Sheila Dikshit				
		D. Arif Mohammad Khan				
		O. Ani Monammau khan				
	34.	A cuboid has six sides of differen		• •		
,		adjacent to white. The brown sig	=	e. The red side	e is tace down.	Which one of the
		following would be the opposite				
		A. Red	=	. Black	•	
		C. White	D	. Blue		•
	35.	Mangalyaan intend for				
		A. Jupiter Orbiter Mission		•		
		B. Mars Orbiter Mission				
		C. Mercury Orbiter Mission				
		D. Saturn Orbiter Mission				
	36.	Nanomaterials are materials of v	which a single unit is	s sized:		
		A. < 100nm	-			
		B. < 1000nm			·	
		C. < 10nm				
		D. < 1nm				
,						
		·		•		Dear 4 - 513
•						Page 4 of 12

37. (Of all the 3-digit numbers given below which one is divisible by 6? A. 149 B. 150
	C. 151 D. 166
	D. 100
38. I	Distance between two stations, X and Y is 778 km. A train covers the journey from X to Y at 84 Km per hour and returns back to X with a uniform speed of 56 Km per hour. Find the average speed of
1	the train during the whole journey?
	A. 67.0 Km/hr.
	B. 67.2 Km/hr.
	C. 69.0 Km/hr
	D. 69.2 Km/hr.
	D. 05.2 Killy III.
39.	The sum of three numbers is 98. If the ratio of the first to second is 2:3 and that of the second to the third is 5:8, then the second number is?
	A. 20
	B. 30
	C. 48
	D. 58
40.	When you reverse the age of the father you will get the age of the son. One year ago the age of the father was twice that of son's age. What are the current ages of son and father?
	A. 37 and 73
	B. 24 and 42
	C. 13 and 31
	D. 15 and 51
41.	A medical device is a product such as that is intended for use in the diagnosis, prevention and treatment of diseases or other medical conditions.
	A. Instrument/ machine
	B. implant
	C. in vitro reagent
	D. All of the above
42.	Amplifiers used to increase the amplitude level of electrophysiological signals are known as:
	A. Radio frequency amplifier
	B. Audio frequency amplifier
	C. Physicochemical amplifier D. Bioamplifier
	D. Bloampline
43	Among medical devices, combination products can be combination of
73.	A. medical device and drug
	B. medical device and biologic
	C. medical device and drug and biologic
	D. All the above
44.	General requirements for electrical safety and essential performance of medical electrical
	equipment is provided in:
	A. IEC 60601
	B. ISO 60061
	C. ISO 14971
,	D. ISO 13485

		Biochemical events are converted to measurable signals by:	
	73,	A. Transducer	
		B. Amplifier	
		C. Op-amp	•
		D. Transistors	
	46.	Identify the essential components in biosensors:	
		A. Biological element only	
		B. Biological element & Transducer	
		C. Biological element & amplifier	
		D. Bioamplifiers	
	47	The principal ion that is not involved with the phenomena of producing cel	I notentials is:
	47.	A. Sodium	potentials is.
•		B. Potassium	
		C. Chlorine	
		D. Magnesium	
		2, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	48.	The resistance Rt of a metallic conductor at any temperature 't' is given by	:
		A. $Rt = Ro(1+at)$	*
		B. Rt = Ro(1-at)	
		C. Rt = Ro(at-1)	•
		D. $Rt = Ro(10+at)$	
-	49.	The material used in limb surface electrode is:	
		A. Copper	
-		B. Silver	
		C. Gold	
		D. Platinum	
	50	Amplitude of human EEG signal is about (10 to 100), when measured fi	rom the scalp
	50.	A. nV	•
		B. mV	
		C. μV	
		D. pV	
		· ·	
			tamana ango of
	51.	The high temperature phase of iron-carbon phase diagram, present in the	temperature range of
	51.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is:	temperature range of
	51.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite	temperature range of
	51.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite	temperature range of
	51.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite	temperature range of
	51.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite	temperature range of
		The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite	temperature range of
		The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer:	temperature range of
		The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation	temperature range of
		The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction	temperature range of
		The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction	temperature range of
		The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction	temperature range of
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final state.	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final standard machining. The following is not such a process:	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final standard machining. The following is not such a process: A. Additive layer manufacturing	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final siminimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	hape and size, requiring
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	hape and size, requiring
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	hape and size, requiring
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	hape and size, requiring
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	hape and size, requiring
	52.	The high temperature phase of iron-carbon phase diagram, present in the 912-1394°C is: A. Austenite B. Ferrite C. Cementite D. Martensite The following is not a mechanism of heat transfer: A. Radiation B. Induction C. Conduction D. Convection Near net manufacturing produces components that are close to the final st minimal machining. The following is not such a process: A. Additive layer manufacturing B. Closed-die forging C. Metal injection molding	hape and size, requiring

		_		1 (1)
54.		eiger Counter has high quantum eff	ficie	ency in the wavelength (A) range:
		0.2 to 0.3		0.4 to 0.5
	C.	1.5 to 2.1	D.	6.to 7
55.	distan A.	r beam (λ = 632.8 nm) having a dive ce of approximately $4x10^5$ km. The 400 km 100 km	be B.	ence of 1 mrad is directed towards the moon at a am would have spread to a diameter of: 200 km 4 km
) I i a company all and a	4	irom an icolated neutral atom is its:
56.	The e	nergy required to remove an electr	on i	rom an isolated neutral atom is its:
		Electron affinity		
		Fermi energy Ionization potential		
	C. D.	Bond energy		
		•		•
57.	lens is A. B. C.	length of light used in Newton's rin 51 m and diameters of n th and (n+1 3600 A 4600 A 5600 A 6600 A	igs e	experiment when radius of curvature of plano-convex rings are 4.2 mm and 7.0 mm is:
		auticular comple the absorbance is	. n 6	for a molar concentration of the solute of 1.0 x 10 ⁻⁴ M
58.	Inap	2.0 cm path length, the molar abso	orot	rivity (per mol per cm) is:
	ario a A.	1.2	p	The state of the s
	В.	1200		
		3000		
		3 x 10 ⁻⁴		
59.	The r	nost used He-Ne laser has a wavele	ngt	h of:
	A.	0.5 μΜ		
	В.	0.633 μΜ		
	C.	0.70 μΜ		· · ·
	D.	0.80 μΜ		
60.	Whice the base A. B. C. D.	th of the following polymers would best barrier to diffusion of a gas): Atactic polystyrene A random ethylene/propylene co Low density polyethylene High density polyethylene		expect to have the best barrier properties (i.e., provide ymer (50/50) composition.
		-		
61	. Two	crossed polarizers are placed in the	e pa	rt of light beam. The light output is:
	A.	Zero		
	В.	Plane polarized		·
	C.	Circularly polarized		
	D.	Elliptically polarized		
	The	electrical resistivity of copper and a	alun	ninum are in the range of:
62	. ine A.	1×10^8 to 3×10^8 Ω .m		
	А. В.	6 6 -		
	в. С.	0P.o.		
	C. D.			
	U.	TYTO FOR DUTO SELLS		
		•		Dog 7 of 12

	63.	The A.		resulting from pla	astic deformation	is referred to a	s:
		В.				,	
		C.	-				
		D.	Precipitation harden	ing .			
	64.		percentages of constitu	uent phases in eq	uilibrium in a bina	ary phase diagra	ım can be calculated
		usin A.	ng this rule: Gibbs' rule			•	
		,		•			
		8.					
,		C. D.		ile			
•	65.		following refers to a fa	ilure mechanism i	responsible for ne	early 90% of all s	structural failures:
		A.	Corrosion				
		В.					
		C.					
		D.	Fatigue				
	66.	Wh	en two dissimilar metal	s are placed in ele	ectrical contact ar	nd immersed in a	an electrolyte, the
		follo	owing results:				
		A.	A bi-crystal				
		В.	A grain boundary				
		C.	A weld				
		D.	A galvanic couple				
	67.		a glass of refractive ind m is completely polarize		e of incidence of	ordinary light, f	or which the reflected
		A.	30 degree	В.	60 degree		
;		C.	45 degree	D.	75 degree		
	68.		spectrophotometer, th		r must be able to	resolve two wa	velengths 599.9 nm
			100		1000		
			3000		5000		•
		C.	3000				
	69.	At t	he onset of gelation of a	a reaction mixture	the viscosity:		
		A.	Increases	•			
		В.	Decreases				
		C.					
		D.	None of the above				
	70.	Whi	ch solvent is used to dis	ssolve rubber piec	es in the process	of chlorination	of natural rubber?
		Α.	Acetone			•	
		В.	Carbon tetrachloride				
		C.	Toluene			•	
		D.	Benzene			·	
	71.	A po	olystyrene sample has a	number average	molecular weight	t of 100,000 and	l a polydispersity of 5.
		-	at is the weight average			- PF-ST WITH	e i i i i i i i i i i i i i i i i i i i
		Α.	-	•			
		В.					•
		C.					
		D.	5,000,000				
			• •				
				•			D. 0.040

72. Which of the following structures best represents a triblock co-polymer?


73. The properties of two polyethylene samples are given below. Sample 1 was synthesized using a catalyst while Sample 2 was produced by a high pressure process.

	Polyethylene 1	Polyethylene 2
Molecular weight (M _w)	150, 000	150, 000
Density (g/cc)	0.96	0.92
Crystalline melting point, °C	131	106
Stiffness, (MPa)	110	30
Hardness (Shore D)	60	40

Which of the following statements is/are true?

- A. Sample 2 is more branched than sample 1
- B. Sample 1 is more branched than sample 2
- C. Sample 1 is more atactic
- D. None of the above

74. Given below are two transitions from the "solid" to the liquid or rubbery state on a plot of specific volume vs. temperature.



Which of the following statements is/are true?

- A. The transition X is a T_m , while transition Y is a T_g
- B. The transition Y is the T_m while X is the T_g
- C. Both the transitions X and Y are Tg, Y being the Tg of semi-crystalline polymer
- D. Transition X is the T_m of a semi-crystalline material and Y is the T_m of an almost perfect crystal
- 75. Which of the statements about pseudoplastics is true?
 - A. A substance which becomes less viscous as the rate of shear increases
 - B. A substance which becomes more viscous as the rate of shear increases
 - C. A substance which becomes less viscous over time when a constant shear stress is applied
 - D. A substance which becomes more viscous over time when a constant shear stress is applied
- 76. From instruments point of view, heart is a _____ system
 - A. Pneumatic
 - 8. Electric
 - C. Electronic
 - D. Hydraulic
- 77. The basic functional unit of nervous system is:
 - A. Nerves

B. Axon

C. Neuron

D. Dendrite

70	Atrio	ventricular node is located at:
76.	A.	
		the part of the heart wall above the two atria
	C.	
	D.	
	U.	Opper part of the heart stamped of
70	Refo	re placing the electrodes the skin should be:
75.		Wet
	В.	
	_	Hairy
		Oily
	U.	· · · · · · · · · · · · · · · · · · ·
80.	The o	delta wave in EEG ranges from
•		0.5-4Hz
	В.	4-8Hz
	C.	8-13Hz
		13-22Hz
81		signal amplitude of EEG is:
		2-200 μV
	ъ.	2-200mV
	Ç.	·
	D.	2-2000mV
	\A/h:	ch of the following is considered to be the primary pacemaker of the heart?
82	, vyni A.	
		Atrioventricular node
		Purkinje fibres
		Both A and B together
. 83	. Rec	ording electrical activities associated with heart is known as:
	A.	
	В.	EOG
	C.	EMG
	D.	
		the membrane
84	I. The	variation of the electrical potential associated with the passage of a pulse along the membrane
	of a	muscle cell or a nerve cell is called:
	A.	
	В.	
	C.	Resting potential
	D.	. Half-cell potential
-	, BI.	edle electrode is used to measure:
8:		
	A.	
	B.	, EEG

- C. EOG
- D. EMG
- 86. Electrocardiography was invented by:
 - A. Willem Einthoven
 - B. Robert Koch
 - C. Werner Forssmann
 - D. Gertrude B. Elion

87.	MRI st	ands for:		•
		Mechanical Resonance Imaging	*	
	₿.	Magnetic Resonance Imaging		
	C.	Mutually Related Imaging		·
		Magnetic Resultant Imaging	•	
88.	The in	terior of the neuron is at a potential of	aboutn	nV relative to the exterior
		-70	•	
	В.	+70		
	C.	-170		•
	D.	+170		
89.	Anoth	er name for tricuspid valve is:		
	Α.	Left Atrioventricular valve	•	
	В.	and the second s		
		Pulmonary valve		
		Cardiac valve		
90	Buffe	r amplifier converts:	,	• • • • • • • • • • • • • • • • • • •
JU.	Δ	Low impedance signals to high imped	ance signals	
	В,	High impedance signals to low impeda	ance signais	•
	C	AC impedance signals to dc impedance	e signals	
	D.	DC impedance signals to ac impedance	e signals	
04	141L!_	h of the following is a wireless ECG acq	uiring system?	?
91.		Pregelled disposable electrodes		
	Α.	Limb electrodes	•	
	В.	Pasteless electrodes		
	С.			
		Smart pad		
92.		nstruments that are used to hold patie	ents head and g	guide the placement of electrodes are
	calle	d:		
	A.	Monotaxic		•
	В.	Stereotonic		
	Ç.	Stereotaxic		
	D.	Monotonic		
93	. The	ground electrode is usually positioned	over which bo	dy structures?
	A.	_		
	В.	Hairy		
	C.	Fleshy		
		Sweaty		
		electrodes that are used when intrame	uscular EMG is	required to look into the electrical
94	1. The			
94	I. The acti	vities of deeper or overlaid muscles:		
94	1. The acti A.	vities of deeper or overlaid muscles: Plate shape electrodes		
94	acti	Plate shape electrodes		
94	acti A.	Plate shape electrodes Surface electrodes		
	acti A. B. C. D.	Plate shape electrodes Surface electrodes Thin thread electrodes Fine wire electrodes		
	acti A. B. C. D.	Plate shape electrodes Surface electrodes Thin thread electrodes Fine wire electrodes	sults in the ger	neration of action potential in the
	acti A. B. C. D.	Plate shape electrodes Surface electrodes Thin thread electrodes Fine wire electrodes contraction of the skeletal muscles residual muscle fibers. Record of this act	tion potential i	neration of action potential in the s called:
	acti A. B. C. D. 5. The ind	Plate shape electrodes Surface electrodes Thin thread electrodes Fine wire electrodes contraction of the skeletal muscles reividual muscle fibers. Record of this act	sults in the ger tion potential i B. EMG	neration of action potential in the s called:
	acti A. B. C. D. 5. The ind A	Plate shape electrodes Surface electrodes Thin thread electrodes Fine wire electrodes contraction of the skeletal muscles religiously muscle fibers. Record of this act	tion potential i	neration of action potential in the s called:
	acti A. B. C. D. 5. The ind A	Plate shape electrodes Surface electrodes Thin thread electrodes Fine wire electrodes contraction of the skeletal muscles reividual muscle fibers. Record of this act	B. EMG	neration of action potential in the is called: Page 11 of

	44. t			, and make passing		
į.	A.	. 50 uV – 5 mV			•	,
/	В.	. 50 mV – 5 V				
	C.	0.05 uV – 2 mV				
	. D.	. 50 mV – 500 mV				•
	97. The	e letter T in the EEG el	ectrode placement syst	em denotes?		
	A.					
	В.	Temper lobe				
	C.	Trace			•	
•	D.	. Tympanic	•			
	98. Acc	ording to the internat	cional 10/20 system to	measure EEG, odd nu	mber denotes whic	ch side of
		brain?				
	A.	Left				
	В.	Right				
	C.	Тор				-
	D.	Front				
	99. Dist	turbance in the EEG pa	attern resulting from th	e external stimuli is c	alled:	
	A.	•				
	В.	Colored response				
	C.	Evoked response	•			
	D.	Impulse response				
	100. The	peak to peak amplitu	ide of the waves that c	an be picked from the	scalp is	
	A.					
	В.	100V				
	· C.					
•	D.	10mV				
			*********	*******	it .	
						-
:		,		•		
					•	
						•
			•		•	